

Work Order ID 164503

Wednesday, July 19, 2017 2:45:22 AM

164503

Page 1

Item ID: D4095-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wearplate Aft
Start Date: 7/19/2017 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 7/27/2017 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: JUL 20 2017 Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4095	D								
100	FLOW WATER JET	0.01							
100									
Waterjet	Memo	0.59							
FLOW CNC Waterjet	1-Cut as per Dwg (D4095-3) Dwg Rev: <u>0</u> Prog Rev: <u>0</u> 2-Deburr if necessary								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.04							
Quality Control									
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.08							
Quality Control									

DAS
36 38
388 1988
AUG 14 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS <table style="width:100%; border: none;"> <tr> <td style="border: none;">Skid-tube ☐</td> <td style="border: none;">Cross tube ☐</td> <td style="border: none;">Water Jet ☐</td> <td style="border: none;">Engineering ☐</td> </tr> <tr> <td style="border: none;">Machining ☐</td> <td style="border: none;">Small Fab ☐</td> <td style="border: none;">Prod. Eng. Coord. ☐</td> <td style="border: none;">Quality ☐</td> </tr> <tr> <td style="border: none;">Thermoforming ☐</td> <td style="border: none;">Finishing ☐</td> <td style="border: none;">Rec/Store/Packaging ☐</td> <td style="border: none;">Other ☐</td> </tr> <tr> <td style="border: none;">Large Fab ☐</td> <td style="border: none;">Composite ☐</td> <td style="border: none;">Supplier ☐</td> <td></td> </tr> </table>						Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																						
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																						
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																						
Large Fab ☐	Composite ☐	Supplier ☐																							
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																		
Description Work Order Deviation				Disposition				Completed By																	
Root Cause				FAULT CATEGORY																					
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐		Power Loss/Surge ☐		Positioned Wrong ☐															
Design ☐		Operator ☐		Bending ☐		Set-up ☐		Folio/Program ☐		Outside Dimensions ☐															
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐		Grain ☐		Over/Under tolerance ☐															
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐		Weld ☐		Part Incorrect ☐															
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐		Wrong Stock Pulled ☐		Part Lost/Missing ☐															
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐		Out of Sequence ☐		Part Moved ☐															
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐		Off-set ☐		Drawing ☐															
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐		Mislabeled ☐		Finish ☐															
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐		Fit/Function ☐		Misread ☐															
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐		Misaligned/off center ☐		Turning Sequence ☐															
Past Expiry Date ☐		Manufacturing Process ☐		OTHER : _____																					
Misidentified ☐		Past Due ☐																							

Work Order ID 164503

164503

Page 2

Wednesday, July 19, 2017 2:45:22 AM

Item ID: D4095-043 Accept *N9000040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Wearplate Aft
Start Date: 7/19/2017 Start Qty: 4.00 *4* Cust Item ID:
Required Date: 7/27/2017 Req'd Qty: 4.00 *4* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130 *130* Brake NC Brake NC	Form as per dwg NC BRAKE Memo 1- bend section C-C first 2- Form on Brake as per Dwg D4095 using Jigs DT 8179 and DT 8155 3- Form Joggles (2) as per Dwg D4095 on brake using Jig DT 8157	0.43 0.43				4	Ø	AUG 17 2017	DAS 19 9-09
140 *140* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo Ensure joggle as per dwg D4095	0.00 0.08				4			DAS 38 9-09 AUG 17 2017
150 *150* autoweld 1 Automated Welding 1	Weld per dwg & QSI004 4.5 Large Fab Memo ***SEE NOTE 8 FOR SURFACE BUILDUP*** 1- WELD AS PER DWG AND QSI004 4.5 FOR AUTOMATED WELDING USE 8259 HARDCOAT BATCH: M137937	0.00 1.82				4	Q.L	17-08-24	

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 164503

Wednesday, July 19, 2017 2:45:22 AM

164503

Page 3

Item ID: D4095-043 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Wearplate Aft
Start Date: 7/19/2017 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 7/27/2017 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

160

QC10- Inspect visual per QSI004- ground welds

0.00

160

QC

Memo

0.08

Quality Control

④ 17-08-29 PD

170

QC5- Inspect part completeness to step on W/O

0.00

170

QC

Memo

0.08

Quality Control

④ 17-08-29 PD

180

0.00

180

HandFinish

Memo

0.16

Hand Finishing

COAT ENTIRE TOP (CONCAVE) SURFACE WITH ROCKGUARD AS PER
DWG
A/R ROCKGUARD BATCH: 138351

4 DY. 1/As
17-08-30

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

Work Order ID 164503

Wednesday, July 19, 2017 2:45:22 AM

164503

Page 4

Item ID: D4095-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Wearplate Aft
 Start Date: 7/19/2017 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 7/27/2017 Req'd Qty: 4.00 ***4*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190 *190* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.04				<u>4</u>			^{D-14} 38 9-89 AUG 31 2017
200 *200* Packaging Packaging	Identify as per dwg & Stock Location: <u>FP-002</u> Memo LOCATION : FP002	0.00 0.04				<u>X4</u>	<u>f</u>	<u>JP 12/04/17</u>	
210 *210* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.40							DAS 21 9-89 SEP 05 2017

W0708.31

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐
Past Expiry Date ☐	☐	Manufacturing Process	☐	OTHER : _____			
Misidentified ☐	☐	Past Due	☐				

Picklist Print

Wednesday, July 19, 2017 2:45:27 AM

Page 1

Work Order ID: 164503

164503

Parent Item: D4095-043

D4095-043

Parent Item Name: Wearplate Aft

Start Date: 7/19/2017

Required Date: 7/27/2017

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:A new issue DD 10.04.26 verified by:EC
15.10.29 AUTOMATED WELDING DD VERF:JLM

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S16GA		Purchased		No		100	sf	13.2920	2.275	9.578947			

M304S16GA

304/316 Sheet .063

02/17/08/12

Location

Loc Qty

Loc Code

MAT010

13.292

m136896

0.3

m137110

0.132

m137175

1.1

m137341

2.62

m137400

3.9

m137844

5.24

138/75

8.5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong				
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions				
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance				
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect				
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing				
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved				
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing				
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish				
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread				
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence				
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____							
Misidentified ☐	☐ Past Due								

DART AEROSPACE LTD		Work Order: 164503
Description: Wearplate		Part Number: D4095-043
Inspection Dwg: D4095	Rev: D	Page 1 of 1


INSPECTION SHEET

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.19	+0.005/-0.001	Ø.189	1		V: D4-02	
2.43	+/-0.030	2.43	1		Tap	
2.50	+/-0.030	2.50	1			
3.227	+/-0.010	3.225	1			
4.21	+/-0.030	4.21	1			
4.98	+/-0.030	4.98	1			
6.00	+/-0.030	6.00	1			
8.43	+/-0.030	8.43	1			
12.10	+/-0.030	12.10	1			
19.25	+/-0.030	19.25	1			
22.75	+/-0.030	22.75	1			
30.00	+/-0.030	30.00	1			
36.00	+/-0.030	36.00	1			
38.87	+/-0.030	38.87	1			
9.0	+/-0.100	9.0	1			
20.5	+/-0.100	20.5	1			
26.8	+/-0.100	26.8	1			
0.063	+/-0.010	.057	1			
0.300	+/-0.010	.300	1			
0.300	+/-0.010	.302	1			
0.395	+/-0.010	.393	1			
0.395	+/-0.010	.394	1			



Measured by: DC	Checked by: D46	QC Inspector:
Date: 17/08/13	Date: AUG 14 2017	Date:

Engineering Approval: (If necessary)	Date:
--	--------------


Rev	Date	Change	Revised by	Approved
A	16.02.19	New Issue	KJ	
B	17.07.13	Dimensions updated per Dwg Rev D	KJ	



D4095-041 WEARPLATE ASSEMBLY



D4095-043 WEARPLATE ASSEMBLY




D4095-045 WEARPLATE ASSEMBLY


SHOP COPY
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO. 164503
115
17072e

RELEASED
 2017-05-08

DESIGN	MB	DART AEROSPACE USA, INC	
DRAWN	AJS	EUGENE, OR	
CHECKED	CP	DRAWING NO.	REV. D
MFG. APPR.	DD	D4095	SHEET 2 OF 9
APPROVED	WM	TITLE	SCALE
DE APPR.	#	WEARPLATE	NTS
DATE	16.05.06	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



D4095-3F FLAT PATTERN 1




D4095-3 BENDING DETAIL
(MAKE FROM D4095-3F)

D4095-3 NOTES:


- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH, 16 GAUGE (0.063 THICK)
PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316), OR ASTM A240 OR ASME SA240
REF DART MATERIAL SPEC M304S16GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A
- 8) WELDING: BUILDUP HARD SURFACING 0.17 TO 0.20 THICK USING 8259 ROD PER QSI 004 SECTION 4.5 (AUTOMATED WELDING) OR
BUILDUP HARD SURFACING 0.17 TO 0.20 THICK USING 2059B ROD PER QSI 004 SECTION 4.1 (MANUAL WELDING)
- 9) PARTS ARE SYMMETRIC ABOUT CENTERLINE

RELEASED
2017-05-08

DESIGN	MB	DART AEROSPACE USA, INC	
DRAWN	AJS	EUGENE, OR	
CHECKED	CP	DRAWING NO.	REV. D
MFG. APPR.	DD	D4095	SHEET 5 OF 9
APPROVED	WM	TITLE	SCALE
DE APPR.		WEARPLATE	NTS
DATE	16.05.06	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	




D4095-1 WELDING DETAIL



D4095-3 WELDING DETAIL

RELEASED
2017-05-08


DESIGN	MB	DART AEROSPACE USA, INC	
DRAWN	AJS	EUGENE, OR	
CHECKED	CP	DRAWING NO.	REV. D
MFG. APPR.	DD	D4095	SHEET 8 OF 9
APPROVED	WM	TITLE	SCALE
DE APPR.	/	WEARPLATE	NTS
DATE	16.05.06	COPYRIGHT © 2016 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



DETAIL A: TAB DETAIL

SCALE 4X


C3-4
C2-6
C3-7
D2-6



DETAIL B: JOGGLE DETAIL

SCALE 4X


B2-4
B6-4
B3-5
B2-7



SECTION E-E

SCALE 2X


B5-7
B2-8



SECTION C-C

SCALE 2X


B5-4
B4-6



SECTION D-D

SCALE 2X


B4-4
B5-6



SECTION F-F

SCALE 2X

B5-8
B7-8



DETAIL G: TAB DETAIL

SCALE 4X

C3-5
C4-7

DESIGN	MB	DART AEROSPACE USA, INC	
DRAWN	AJS	EUGENE, OR	
CHECKED	CP	DRAWING NO.	REV. D
MFG. APPR.	DD	D4095	SHEET 9 OF 9
APPROVED	WM	TITLE	SCALE
DE APPR.	WM	WEARPLATE	NT
DATE	16.05.06	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

RELEASED
2017-05-08